

A.4 BODY FILLERS (HYACROP)

Body fillers, based on Hyaluronic Acid, are used to reshape parts of the body especially the buttocks, to fill some gaps and to improve the volume, shape, and contour of the buttocks and hips.

It's a procedure done under local anesthesia, that has no downtime, and the results is seen directly after the procedure.

In the Brazilian Medical Center, we provide our patients one of the well-known and trusted body fillers, HYACORP, a temporary filler (up to 1 year).

Hyaluronic Acid Fillers:

- Description: Hyaluronic acid (HA) is a naturally occurring substance in the body that helps retain moisture and adds volume.
- ·Use: Commonly used for areas needing volume.

Benefits of Body Fillers

- · Volume Restoration: Fillers can add volume to areas that may have lost fullness due to aging or weight loss.
- Enhanced Contours: They can enhance body contours, such as the buttocks and hips.
- Non-Surgical: Body fillers provide a non-invasive option for achieving desired aesthetic changes without the need for surgery. It is done under local anesthesia in the clinic.
- Immediate Results: Body fillers provide instant results, allowing for immediate enhancement.

The Body Filler Procedure

1. Consultation:

o A careful consultation with a qualified injector or dermatologist to discuss goals, medical history, and any concerns. The injector will assess the areas to be treated and recommend the appropriate filler type.

2. Preparation:

o The treatment area may be cleansed, and a topical anesthetic may be applied to minimize discomfort during the injection.

3. Injection:

o The filler is injected into the targeted areas using a fine needle or cannula. The injector will carefully place the filler to achieve the desired contour and volume.

Multiple injection sites may be used depending

on the area being treated.

4. Post-Treatment:

o After the injections, the injector may gently massage the area to ensure even distribution of the filler.

Recovery After Body Fillers

- · Minimal Downtime: Most patients can return to their daily activities immediately after the procedure.
- ·Possible Side Effects: Mild swelling, bruising, redness, or tenderness at the injection site may occur but typically resolves within a few days.
- · Avoiding Strenuous Activities: It is usually recommended to avoid strenuous exercise and activities that could put pressure on the treated areas for 24 to 48 hours.

Risks and Considerations

- · Allergic Reactions: Although rare, some individuals may have allergic reactions to certain fillers.
- ·Complications: Potential risks include infection, lumps, asymmetry, and migration of the filler.
- Temporary Results: Most fillers are not permanent and may require touch-ups to maintain desired effects.
- ·Choosing a Qualified Provider: It is essential to choose a licensed and experienced provider to minimize risks and achieve optimal results.